



EC-Type Examination Certificate

(1)

(2)

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207 U

(4) Component: **Model XD-I, XD-Iwin, instrument housing**

(5) Manufacturer: **Podhalańska Fabryka Aparatury Pomiarowej Limatherm, Sp. z o.o.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This Component and any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The Physical Technical Testing Institute, notified body number 1026 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report N°

03/0207 dated 24 July 2003

(9) Compliance with Essential Health and safety requirements has been assured by compliance with:

EN 50014:1997+A1+A2

EN 50018:2000

EN 50281-1-1:1998

The sign „U” placed after the certificate number indicates that this certificate must not be mistaken for a certificate intended for an equipment or protective system. This partial certification may be used as a basis for certification of an equipment or protective system.

(10) This EC-TYPE EXAMINATION CERTIFICATE relates only to design, examination and testing of the specified component in accordance to the directive 94/9/EC. If applicable, further requirements of the Directive apply to the manufacture and supply of this component.

(11) The marking of the component shall include following:



II 2GD EEx d IIC

This EC-Type Examination Certificate is valid till: **31 July 2008**

Responsible person:

Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 28 July 2003

Number of pages: 1/3

This certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14) **EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207 U**

(15) Description of Component:

Instrument housing is foreseen to accommodate different electronics devices for working in hazardous areas.

The enclosure and cover are made of aluminium pressure die-casting (Mg<6%).

An earth terminal is placed on the body of enclosure.

The cover is fixed to the body by thread M100x2. The cover is sealed by "O" ring.

The cover is alternatively designed with inspection window made of floated glass.

The threaded hole for flameproof cable gland M20x1,5; G1/2; G3/4; 1/2NPTmod or 3/4NPTmod is prepared on the body of enclosure.

The threaded hole M20x1,5; M25x1,5; G1/2; G3/4; 1/2NPTmod or 3/4NPTmod is prepared for thermowell sensor measuring insert.

The enclosure is coated by chemically resistant paint.

(16) Report No. : 03/0207

(17) Schedule of Limitations:

17.1 -40°C <Tserv. >100°C pro XD-I

17.2 -40°C <Tserv. > 85°C pro XD-Iwin

17.3 IP protection 66 ÷ 68 – is depend on applied cable gland.

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (9).

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 28 July 2003

Number of pages: 2/3

This certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14) **EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(19)

LIST OF DOCUMENTATION

- Aluminium specification
- Resistance of paint coatings to aggressive chemical agents and environment
- Earth terminals, protection terminals
- Seal rubber specification
- Taper threads for explosionproof/flameproof openings
- Silicone rubber specification R701/40-R701/80
- Silicone encapsulant "Sylgard 567" specification
- Condition for testing of in instrument housing of protection against continuous submersion in water – IP 68
- Application manual N-L2237 dated 09.06.2003
- Data label
- Catalogue sheets: EEx d instrument housing typ XD-I
EEx d instrument housing typ XD-Iwinn
- Drawings N°:
 - 4-Z-L2178 dated 12.03.2003
 - 4-Z-L2249 dated 17.06.2003
 - 4-Z-L2177 dated 17.06.2003
 - 2-Z-L2213 dated 13.06.2003
 - 2-Z-L2214 dated 13.06.2003



Physical Technical Testing Institute
Ostrava-Radvanice



**Supplement No. 1 to
EC-Type Examination Certificate**

**Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC**

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Equipment or protective system: **Model XD-I, XD-Iwin, instrument housing**

(5) Manufacturer: **Podhalańska Fabryka Aparatury Pomiarowej Limatherm, Sp. z o.o.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - modification of certified apparatus
- modification of apparatus marking

(8) Modification of certified apparatus (protective system) and any of its approved variants are specified in documentation, list of which is mentioned in schedule of this certificate.

(9) This supplement to type examination certificate is valid only for type examination of design and construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC. The Directive contains another requirements, which manufacturer shall fulfil before products are place on market or introduce in service.

(10) Safety requirements of modified parts were fulfilled by satisfying the following standards:

EN 50014:1997+A1+A2

EN 50018:2000

EN 50281-1-1:1998

(11) Marking of equipment shall contain symbols:



II 2GD EEx d IIC

(12) This type examination certificate is valid till: **31 July 2008**

Responsible person:

Mr. Jaroslav Šindler

Head of certification body



Date of issue: 15.04.2004

Number of pages: 4

Page: 1/4

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 1 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of Equipment or Protective System:

The threaded hole for flameproof cable gland M20x1,5; M24x1,5; M25x1,5; G $\frac{1}{2}$ ", BSP $\frac{1}{2}$ "; G $\frac{3}{4}$ ", BSP $\frac{3}{4}$ "; Rc $\frac{1}{2}$ mod, BSPT $\frac{1}{2}$ mod; Rc $\frac{3}{4}$ mod, BSPT $\frac{3}{4}$ mod; $\frac{1}{2}$ " NPTmod or $\frac{3}{4}$ " NPTmod is prepared on the body of enclosure.

The threaded hole M20x1,5; M24x1,5; M25x1,5; M27x2; G $\frac{1}{2}$ ", BSP $\frac{1}{2}$ "; G $\frac{3}{4}$ ", BSP $\frac{3}{4}$ "; Rc $\frac{1}{2}$ mod, BSPT $\frac{1}{2}$ mod; Rc $\frac{3}{4}$ mod, BSPT $\frac{3}{4}$ mod; $\frac{1}{2}$ " NPTmod or $\frac{3}{4}$ " NPTmod is prepared for thermowell sensor measuring insert.

(16) Report No. : 03/0207, changes on pages 6,13

(17) Special conditions for safe use:

The special conditions described in main document are valid in whole range.

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (10) of this certificate.

Responsible person:


Mr. Jaroslav Sindler
Head of certification body



Date of issue: 15.04.2004

Number of pages: 4

Page: 2/4



(13)

Physical Technical Testing Institute Ostrava-Radvanice

Schedule

(14)

Supplement No. 1 to EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U

TYPE KEY

XD – I ☐ - . - ☐ ☐ - ☐ ☐ - ☐ ☐ - ☐ ☐ - ☐ ☐

TYPE OF INSTRUMENT
HOUSING

empty or win

SYMBOL OF ELEMENTS / SEALS MATERIAL
2 = M+S
4 = N+S

SYMBOL OF CONDUIT THREAD $D_3 - D_2$
M2 = M20x1,5
M25 = M25x1.5
G2 = G 1/2, BSP 1/2
G3 = G 3/4, BSP 3/4
R2 = Rc 1/2 mod, BSPT 1/2 mod – modified ac. to OIT-17/03
R3 = Rc 3/4 mod, BSPT 3/4 mod – modified ac. to OIT-17/03
N2 = 1/2 NPT mod – modified ac. to OIT-17/03
N3 = 3/4 NPT mod – modified ac. to OIT-17/03
PD = plugged
Notice:
Type: "size of thread / PD" if thread is plugged ex. **M2/PD**, etc.

SYMBOL OF PROCESS THREAD D_1
M2 = M20x1,5
M24 = M24x1.5
M25 = M25x1.5
M27 = M27x2
G2 = G 1/2, BSP 1/2
G3 = G 3/4, BSP 3/4
R2 = Rc 1/2 mod, BSPT 1/2 mod – modified ac. to OIT-17/03
R3 = Rc 3/4 mod, BSPT 3/4 mod – modified ac. to OIT-17/03
N2 = 1/2 NPT mod – modified ac. to OIT-17/03
N3 = 3/4 NPT mod – modified ac. to OIT-17/03
PD = plugged
Notice:
Type: "size of thread / PD" if thread is plugged ex. **M2/PD**, etc.

SYMBOL OF PAINT TYPE: SE – SPRAY EPOXY, C – CREODUR

SYMBOL OF PAINT COLOUR :
al = ALU NATURAL COLOUR; sb = RAL 5015 SKY-BLUE; sg = RAL 7032 SILICON-GREY; gr = RAL 7035 GREY;
ag = RAL 9002 ASHEN GREY-WHITE; sh = RAL 9006 SHINE;





**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 1 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(19)

LIST OF DOCUMENTATION

- | | | | | |
|---|---|-------------------|-------|------------|
| ➤ | Application manual No. | N-L2237 | dated | 05.04.2004 |
| ➤ | Drawings No.: | 2-Z-L2213 | | 06.04.2004 |
| | | 2-Z-L2214 | | 06.04.2004 |
| | | 4-L2177 | | 13.01.2004 |
| | | 4-L2178 | | 13.01.2004 |
| | | 4-L2249 | | 13.01.2004 |
| ➤ | Technical specification about | "soda lime glass" | | 04.11.2003 |
| ➤ | Annex for OIT-17/03 | | | |
| | (taped thread NPT,R modification for flame proof EEx d and explosionproof (XP) enclosures | | | |





Physical Technical Testing Institute
Ostrava-Radvanice



Supplement No. 2 to EC-Type Examination Certificate

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Equipment: **Model XD-I, XD-Iwin, instrument housing**

(5) Manufacturer: **Limatherm, Sp. z o.o.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - modification of certified apparatus

(8) Modification of certified component and any of its approved variants are specified in documentation, list of which is mentioned in schedule of this certificate.

(9) This supplement to type examination relates only to design, examination and testing of the specified component in accordance to the directive 94/9/EC. If applicable, further requirements of the Directive apply to the manufacture and supply of this component.

(10) Safety requirements of modified parts were fulfilled by satisfying of following standards:

EN 50014:1997+A1+A2

EN 50018:2000

EN 50281-1-1:1998

(11) Marking of equipment shall contain symbols:

 **II 2GD EEx d IIC**

(12) This type examination certificate is valid till: **31 July 2008**

Responsible person:


Dipl. Ing. Šindler Jaroslav

Head of certification body



Date of issue: 19.07.2005

Number of pages: 2

Page: 1/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13) **Schedule**

(14) **Supplement No. 2 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of Equipment or Protective System:

- a) In cover XD-I and XD-Iwin designed for housing type XD-I and XD-Iwin there is possible to make a caution in free additional languages: German, Italian, Spanish etc.
There is also possibility to make a logo according to personal requirements of clients.
- b) The taper NPT thread according to ANSI/ASME B1.20.1-1983 is executed in openings under cable glands or sensors with modification to meet simultaneously standards **IEC 60079-1**, **EN 50018**, **CSA C22.2No.5** and **FM 3615**.

(16) Report No. : 03/0207, changes on page 7

(17) Special conditions for safe use:

The special conditions described in main document are valid in whole range.

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (10) of this supplement.

(19) LIST OF DOCUMENTATION

- Drawings No.:
 - 3 - L2043 17.06.2005
 - 3 - L2044 10.06.2005
 - 3 - L2045 17.06.2005
 - 3 - L2046 10.06.2005
- Annex for OIT-17/03 updated 01.06.2005
(Taper thread NPT, R modification for flameproof EEx d and explosionproof (XP) enclosures)

Responsible person:


Dipl. Ing. Sindler Jaroslav

Head of certification body



Date of issue: 19.07.2005

Number of pages: 2

Page: 2/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice



Supplement No. 3 to EC-Type Examination Certificate

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Equipment: **Model XD-I... Series instrument housing (incl. XD-ILwin, XD-IH, XD-IHwin)**

(5) Manufacturer: **Limatherm, Sp. z o.o.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - modification of certified apparatus

(8) Modification of certified component and any of its approved variants are specified in documentation, list of which is mentioned in schedule of this certificate.

(9) This supplement to type examination relates only to design, examination and testing of the specified component in accordance to the directive 94/9/EC. If applicable, further requirements of the Directive apply to the manufacture and supply of this component.

(10) Safety requirements of modified parts were fulfilled by satisfying of following standards:

EN 50014:1997+A1+A2

EN 50018:2000

EN 50281-1-1:1998

(11) Marking of equipment shall contain symbols:

 **II 2GD EEx d IIC**

(12) This type examination certificate is valid till: **31 July 2008**

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: **10.03.2006**

Number of pages: 2
Page: 1/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 3 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of variation to the Equipment:

- The drawings with more details were filled in the documentation.
- Variations with high cover (XD-IH and XD-IHwin) or cover with window (XD-ILwin).
- Also the thickness of the window has been increased to 15 mm.

(16) Report No. : 03/0207, changes on page 7

(17) Special conditions for safe use:

The special conditions described in main document are valid in whole range.

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (10) of this supplement.

(19) LIST OF DOCUMENTATION

- | | |
|--|------------|
| ➤ Catalogue list XD-IH; XD-IHwin; ID-ILwin | |
| ➤ Drawings No.: | |
| 2 – Z – L2213 | 10.06.2005 |
| 2 – Z – L2214 | 17.06.2005 |
| 2 – Z – L3224 | 23.01.2006 |
| 1 – Z – L3218 | 23.01.2006 |
| 1 – Z – L3219 | 23.01.2006 |
| 2 – Z – L3357 | 06.03.2006 |

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 10.03.2006

Number of pages: 2

Page: 2/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice



Supplement No. 4 to EC-Type Examination Certificate

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Equipment: **Model XD-I, XD-Iwin, instrument housing**

(5) Manufacturer: **Limatherm, Sp. z o.o.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - modification of certified apparatus

(8) Modification of certified component and any of its approved variants are specified in documentation, list of which is mentioned in schedule of this certificate.

(9) This supplement to type examination relates only to design, examination and testing of the specified component in accordance to the directive 94/9/EC. If applicable, further requirements of the Directive apply to the manufacture and supply of this component.

(10) Safety requirements of modified parts were fulfilled by satisfying of following standards:

EN 50014:1997+A1+A2

EN 50018:2000

EN 50281-1-1:1998

(11) Marking of equipment shall contain symbols:



II 2GD EEx d IIC

(12) This type examination certificate is valid till: **31 July 2008**

Responsible person:

Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: **19.07.2006**

Number of pages: 2
Page: 1/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 4 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of variation to the Equipment:

The instrument housing XD-I and XD-Iwin was tested on max. power dissipation.

Regarding to these results is to this enclosure assorted temperature class T6 and T5

(16) Report No. : 03/0207

(17) Special conditions for safe use:

17.1 The special conditions described in main document are valid in whole range.

17.2 Max. dissipation power for temperature class are as follow:

Max. power dissipation (W)				
T _{amb}	Temperature class T6 85°C	Pztr (W)	Temperature class T5 100°C	Pztr (W)
		For all variety of enclosures position horizontally/vertically		For all variety of enclosures position horizontally/vertically
40°C	$\Delta 0 \leq 40$ K	26/20	$\Delta 0 \leq 55$ K	38/33
55°C	$\Delta 0 \leq 25$ K	15/11	$\Delta 0 \leq 40$ K	26/20
70°C	$\Delta 0 \leq 10$ K	5/4	$\Delta 0 \leq 25$ K	15/11
85°C	N.A.	--	$\Delta 0 \leq 10$ K	5/4

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (10) of this supplement.

(19) LIST OF DOCUMENTATION

➤ Operating instruction

dated 14.07.2006

Responsible person:

Dipl. Ing. Šindler Jaroslav

Head of certification body



Date of issue: 19.07.2006

Number of pages: 2

Page: 2/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Supplement No. 5 to
EC-Type Examination Certificate**

**Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC**

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Equipment or protective system: **Model XD-I, XD-Iwin, XD-IH, XD-IHwin and XD-ILwin
instrument housing**

(5) Manufacturer: **Limatherm, S.A.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - recertification according to the new standards
EN 60079-0, EN 60079-1, EN 61241-0 and EN 61241-1


(8) Modification of certified apparatus (protective system) and any of its approved variants are specified
in documentation, list of which is mentioned in schedule of this certificate.

(9) This supplement to type examination certificate is valid only for type examination of design and
construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC.
The Directive contains another requirement, which manufacturer shall fulfil before products are
place on market or introduce in service.

(10) Safety requirements of modified parts were fulfilled by satisfying the following standards:


EN 60079:2006 EN 60079-1:2004 EN 61241-0:2006 EN 61241-1:2004

(11) Marking of equipment shall contain symbols:

 **II 2GD Ex d tD IIC**

(12) This type examination certificate is valid till: **31 January 2013**

Responsible person:


Dipl. Ing. Sindler Jaroslav
Head of certification body



Date of issue: 17.01.2008

Number of pages: 3
Page: 1/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 5 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of Equipment or Protective System:

New condition for the instrument housing XD-I, XD-Iwin, XD – IH; XD-IHwin; XD-ILwin :

- Recertification according to the standards EN 60079-0 and EN 60079-1;
- Certification for dust areas according to the standards EN 61241-0 and EN 61241-1;
- Overpressure test acc. cl. 15.1.3.1. EN 60079-1 with pressure 50 bars (the overpressure test on each piece of enclosure is not more demand)

(16) Report No. : 03/0207

(17) Special conditions for safe use:

17.1 The special conditions described in main document and the supplement No.1 to 4 are valid in whole range.

17.2 T_{serv} : -40°C to +100°C for instrument housing type XD-I; XD-IH, without a window

17.3 T_{serv} : -40°C to +85°C for instrument housing type XD-Iwin; XD-IHwin, XD-ILwin, with a window.

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (10) of this supplement.

Any relevant tests are not necessary to execute according to successional standard EN 60079-0, EN 60079-1, EN 61241-0 and EN 61241-1 as that were made acc. Standard EN 50 014, EN 50 018 and EN 50281-1-1.

Responsible person:

Dipl. Ing. Šindler Jaroslav

Head of certification body



Date of issue: 17.01.2008

Page: 2/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 5 to
EC-Type Examination Certificate N° FTZÚ 02 ATEX 0207U**

(19)

LIST OF DOCUMENTATION

		dated	revision
• Users manual No.:	N – L 2237	08.06.2007	
• Drawings No.:	2-Z-L2213	17.06.2005	05.2007
	2-Z-L2214	17.06.2005	05.2007
	2-Z-L3218	23.01.2006	05.2007
	2-Z-L3219	23.01.2006	05.2007
	2-Z-L3224	23.01.2006	05.2007
• Catalogue sheets:	XD-I		
	XD-Iwin		
	XD-IH		
	XD-IHwin		
	XD-ILwin		

Responsible person:

Dipl. Ing. Šindler Jaroslav

Head of certification body



Date of issue: 17.01.2008

Page: 3/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice



Supplement No. 6 to EC-Type Examination Certificate

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Equipment or protective system: **Model XD-I, XD-Iwin, XD-IH, XD-IHwin and XD-ILwin instrument housing**

(5) Manufacturer: **Limatherm, S.A.**

(6) Address: **ul. Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - modification of certified apparatus

(8) Modification of certified apparatus (protective system) and any of its approved variants are specified in documentation, a list of which is mentioned in the schedule of this certificate.


(9) This supplement to type examination certificate is valid only for type examination of design and construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC. The Directive contains another requirements, which manufacturer shall fulfil before products are place on market or introduce in service.

(10) Safety requirements of modified parts were fulfilled by satisfying the following standards:

EN 60079-0:2006; EN 60079-1:2004; EN 61241-0:2006; EN 61241-1:2004


(11) Marking of equipment shall contain symbols:

 **II 2G Ex d IIC**

 **II 2D Ex tD A21**

(12) This type examination certificate is valid till: **31 January 2013**

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 9.11.2009

Number of pages: 3

Page: 1/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 6 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of Equipment or Protective System:

Two additional materials are used for seals:

- Thermoplastic elastomer (Tefabloc TO SI 431 60A);
- Fluoroelastomer (FKM-VR1).

(16) Report No. : 03/0207-D6

(17) Special conditions for safe use:


- 17.1 The special conditions described in main document and the supplement No.1 to 5 are valid in whole range.
- 17.2 Tserv : -40°C to +100°C for instrument housing used Tefabloc as sealing.
- 17.3 Tserv : -20°C to +200°C for instrument housing used FKM-VR1 as sealing.

(18) Essential Health and Safety Requirements:

Covered by standards mentioned in (10).

The additional tests with sealing material were made according to the standard EN 60079-0 and related.

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 9.11.2009

Number of pages: 3

Page: 2/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)


**Supplement No. 6 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(19)

LIST OF DOCUMENTATION

		<i>dated</i>	<i>revision</i>
• Application Manual No.:	N – L 2237	08.06.2007	15.06.2009
• Drawings No.:	2-Z-L2213	17.06.2005	"b" 23.06.2009
	2-Z-L2214	17.06.2005	"b" 23.06.2009
	2-Z-L3218	23.01.2006	"b" 23.06.2009
	2-Z-L3219	23.01.2006	"b" 23.06.2009
	2-Z-L3224	23.01.2006	"b" 23.06.2009
• Catalogue sheets:	XD-I	updated	10.06.2009
	XD-Iwin	updated	10.06.2009
	XD-IH	updated	10.06.2009
	XD-Ihwin	updated	10.06.2009
	XD-Ilwin	updated	10.06.2009
• Technical data of fluoroelastomer FKM-VR1			
• Technical data of thermoplastic elastomer – Tefabloc TO SI 431 60A			

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 9.11.2009

Number of pages: 3

Page: 3/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Supplement No. 7 to EC-Type Examination Certificate

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 03 ATEX 0207U

(4) Component: **Model XD-I, XD-Iwin, XD-IH, XD-IHwin, XD-ILwin instrument housing**

(5) Manufacturer: **Limatherm, S.A.**

(6) Address: **ul.Tarnowska 1, 34-600 Limanowa, Poland**

(7) This supplement of certificate is valid for: - modification of certified component
- prolongation of certificate validity

(8) Modification of certified apparatus (protective system) and any of its approved variants are specified in documentation, a list of which is mentioned in the schedule of this certificate.

(9) This supplement to type examination certificate is valid only for type examination of design and construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC. The Directive contains other requirement which the manufacturer shall fulfil before products are placed on the market or introduce in service.

(10) Safety requirements of modified parts were fulfil by satisfying of following standards:

EN 60079-0:2009 EN 60079-1:2007 EN 60079-31:2009

(11) Marking of component shall contain symbols:

 **II 2G Ex d IIC Gb**

 **II 2D Ex t IIC Db**

(12) This type examination certificate is valid till: **30.06.2016**

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 30.06.2011

Number of pages: 2
Page: 1/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13)

Schedule

(14)

**Supplement No. 7 to
EC-Type Examination Certificate N° FTZÚ 03 ATEX 0207U**

(15) Description of Component:

One additional material is used for seal:

- Elastosil R701/50

(16) Report No. : 03/0207-D7

2 pages

(17) Schedule of limitations:

- 17.1 The special conditions described in main document and the supplement No.1+6 are valid in all whole range.
- 17.2 T_{serv} : -40°C to +100°C/85°C with window, for instrument housing used Elastosil as sealing.
- 17.3 Maximum design gaps of flameproof joints are smaller than maximum permitted gaps according to standard. Verified values of design gaps are mentioned in documentation.


(18) Essential Health and Safety Requirements:

- 18.1 Covered by standards mentioned in (10) to this certificate.
- 18.2 The additional test with sealing material were made according to the standard EN 60079-0 and related.

(19) LIST OF DOCUMENTATION

Title:	Drawing No.:	Date:
Application Manual	N-L2237	16.2.2011
Instrument of housing XD-I		17.2.2011
Instrument housing XD- I	2-Z-L2213	Rev.22.2.2011
Instrument housing XD- Iwin	2-Z-L2214	Rev.22.2.2011
Instrument housing XD- ILwin	2-Z-L3224	Rev.22.2.2011
Instrument housing XD-IH	1-Z-L3218	Rev.22.2.2011
Instrument housing XD-IHwin	1-Z-L3219	Rev.22.2.2011

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 30.06.2011

Number of pages: 2
Page: 2/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.